



Listing Of Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (original): A dye mixture comprising at least one dye of formula



together with at least one dye of formula



wherein


R₁ and R₂ are each independently of the other hydrogen or unsubstituted or substituted C₁-C₈ alkyl,

(R₃)₀₋₃ and (R₄)₀₋₃ each independently of the other denote from 0 to 3 identical or different substituents from the group halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, carboxy and sulfo,

D₁ and D₂ are each independently of the other the radical of a diazo component of the benzene or naphthalene series,



r and s are each independently of the other the number 0 or 1, and the sum of r + s is the number 1 or 2,

Y₁ and Y₂ are each independently of the other a fibre-reactive radical of formula



wherein

X is halogen, T has independently the same definitions as X, or is a non-fibre-reactive substituent or a fibre-reactive radical of formula



(R₅)_{0,2} denotes from 0 to 2 identical or different substituents from the group halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy and sulfo,


Z is vinyl or a radical -CH₂-CH₂-U and U is a group removable under alkaline conditions,

Q is a group -CH(Hal)-CH₂-Hal or -C(Hal)=CH₂,

m and n are each independently of the other the number 2, 3 or 4, and

Hal is halogen,

with at least one of the radicals Y₁ and Y₂ being a radical of formula (3f), and the dye of formula (2) not being a dye of formula



wherein

X* is fluorine and the β -sulfatoethylsulfonyl group is bonded in the 4-position, or

X* is chlorine and the β -sulfatoethylsulfonyl group is bonded in the 3-position.

2. (original): A dye mixture according to claim 1, wherein D₁ and D₂ are each independently of the other a radical of formula







wherein

(R₆)₀₋₃ denotes from 0 to 3 identical or different substituents from the group halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, carboxy, nitro and sulfo, and

Y₃ is a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f) according to claim 1.

3. (previously presented): A dye mixture according to claim 1, wherein D₁ and D₂ are each independently of the other a radical of formula



wherein

(R_{6a})₀₋₂ denotes from 0 to 2 identical or different substituents from the group halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy and sulfo,

Y_{3a} is α,β-dibromopropionylamino or α-bromoacryloylamino,

m is the number 2 or 3,


n is the number 2 or 3, and

Z₁, Z₂, Z₃ and Z₄ are each independently of the others vinyl, β-chloroethyl or β-sulfatoethyl.

4. (previously presented): A dye mixture according to claim 1, wherein R₁ and R₂ are hydrogen.


5. (previously presented): A dye mixture according to claim 1, wherein R_1 and R_2 are hydrogen,

D_1 is a radical of formula



(5aa) and

D_2 is a radical of formula




(5ab),

wherein

R_{6a} and R_{6b} are each independently of the other methyl or methoxy, and

Z_{1a} and Z_{1b} are each independently of the other vinyl, β -chloroethyl or β -sulfatoethyl.

6. (previously presented): A dye mixture according to claim 1, wherein the dye of formula (2) is a dye of formula




wherein

$(R_3)_{0-2}$ and $(R_4)_{0-2}$ each independently of the other denote from 0 to 2 identical or different substituents selected from the group C_1 - C_4 alkyl, C_1 - C_4 alkoxy and sulfo, and one of the fibre-reactive radicals Y_1 and Y_2 is a radical of formula (3a), (3b), (3c), (3d) or (3e), and the other of the fibre-reactive radicals Y_1 and Y_2 is a radical of formula (3f), the meanings according to claim 1 applying for the fibre-reactive radicals of formulae (3a), (3b), (3c), (3d), (3e) and (3f).

7. (previously presented): A method of dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises contacting said materials with a dye mixture according to claim 1.

8. (withdrawn): A dye of formula



wherein

X is halogen, and

Z₅ and Z₆ are each independently of the other vinyl or a radical -CH₂-CH₂-U and U is a group removable under alkaline conditions.

9. (withdrawn): A method of dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises contacting said materials with a dye of formula (2aa) according to claim 8.

10. (previously presented): An aqueous ink comprising a dye mixture according to claim 1.

11. (previously presented): An inkjet printing method for printing hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises printing said materials with an aqueous ink according to claim 10.

12. (withdrawn): An aqueous ink comprising a dye according to claim 8.